Mental Health Professionals Network Ltd

Tel. 03 8662 6600 **Fax.** 03 9639 8936

Add. Emirates House, Level 8 251-257 Collins St Melbourne VIC 3000

Email. info@mhpn.com.au

Web. mhpn.org.au



Webinar



Psychological treatments for Trichotillomania

Thursday 6 December 2018

"Working together. Working better."

Supported by The Royal Australian College of General Practitioners, the Australian Psychological Society, the Australian College of Mental Health Nurses and The Royal Australian and New Zealand College of Psychiatrists

Tonight's panel





Dr Johanna Lynch General Practitioner



Dr Scott Blair-WestPsychiatrist



Dr Imogen RehmPsychology Registrar



Facilitator: Dr Mary Emeleus
Psychiatry Registrar

Audience tip:

Click the 'Open Chat' tab at the bottom right of your screen to chat with other participants.

NB: chat will open in a new browser window.

Ground rules



To ensure everyone has the opportunity to gain the most from this live event please:

- Be respectful of other participants and panellists: behave as you would in a face-to-face activity.
- Interact with each other via the **chat box**. As a courtesy to other participants and the panel, please keep your comments on topic. Please note that if you post your technical issues in the participant chat box you may not be responded to.
- Need help? Click the **technical support FAQ tab** at the top of your screen. If you still require support, call the Redback Help Desk on **1800 291 863.**
- If there is a significant issue affecting all participants, you will be alerted via an announcement.

Audio issues?

Listen on your phone by dialling this phone number 1800 896 323

Passcode: 1264725328#

Learning outcomes



Through an exploration of trichotillomania this webinar will provide participants with the opportunity to:

- Describe the common symptoms and causes of trichotillomania
- Identify suitable medications and psychological therapies to reduce symptoms of trichotillomania
- Identify best practice for referrals and psychological care for people living with trichotillomania

Supporting resources are in the library tab at the bottom right of your screen.



Holding the whole in mind: What broad areas of knowledge do I need in order to make a diagnosis?

- Environment: work, study, home, finances, crowding, noise, privacy, green space
- Social climate: expectations, tension and conflict, impulsivity, other addictive or compulsive forms of coping in those around her
- **Relationships:** availability, attunement, responsiveness, trust, boundaries. Notice siblings, parents, friends, past therapists, GP, past therapists, work, pets
- Body: sleep, exercise, energy, relationship to food, attitude towards her body, behaviours, relaxation, play, movement, pain
- Inner experiences: affect regulation, experiences of overwhelm or out of control, fears, memories, compulsions, perceptions and focus of attention, dissociation
- Sense of Self: attitude and communication with herself, self-soothing, shame, internal attunement, connection and unity
- Spirit or Meaning-making: spiritual resources, existential distress, purpose and meaning





What parts of Hannah's story am I currently missing?

- Environment and social context comfortable at home and work? Expectations? Financial stress?;
 Any helpful parts of her treatment in the past?
- **Relationships:** Where is Dad in this story?, What happened in relationship to her boyfriend?, Any key connected relationships that are meaningful and soothing for her?, Does she have any friends who she could reveal her hair to and discover that she would be accepted?
- Body: any positive calming sensations in her body?; exercise, dancing, music
- Inner experiences: What happened around the time this behaviour first started? What feelings did
 she have back then? Are these feelings the same ones she is experiencing now?; What do the
 terms 'anxious' and 'depressed' mean for Hannah?
- Sense of Self: Her strengths what does she love doing? What is she good at? Who is she close to?; How connected does she feel to herself?
- Meaning and spirit: What is the message/meaning she has taken in about the recent relationship breakdown?; Why is it so important for Hannah to hide what is going on from her friends?

Dr Johanna Lynch



What processes are being enacted as part of this consultation and interaction with the GP?

- **Hannah ambivalent:** mother seeking help for her, reluctant visit to GP, reluctant compliance with treatment suggested; disconnected relationship to others
- Inattention to self: minimising consequences to herself difficulty getting Hannah to engage with her own self care; disconnected from self?
- Using behaviour to manage stress: distress reduction behaviours; enacting not reflecting
- Incomplete knowledge key aspects of the history missing, what else in this family is remaining hidden, what are Hannah's goals?; unaware
- Incoherence of story: e.g., Hair pulling exacerbates in response to break up with boyfriend described as "no apparent reason"; not making sense



What kind of responses am I having towards Hannah and how this story is being told?

- Struck by the incoherence of this self-harming behaviour and its acute exacerbation after the loss of relationship with her boyfriend, and the banal words "no apparent reason" – doesn't make sense to me, not convinced – something is missing.
- Aware of absence of connection self, body, others, GP... avoidance?
- Some sense of helplessness as her symptoms worsen feel that in mother and Hannah too ...
- Struck by the passive role Hannah is playing in her healing, and the active role she is playing in her hair-pulling – could that active energy be harnessed to help rather than hinder?

Dr Johanna Lynch



Hopes for Hannah

- Make sure she feels safe in her environment
- Increase her connection to past supportive relationships, find ways to increase her play and interactive relationships
- Help her to use her *body* to calm herself through mindful grounding awareness of her sensations, beauty, music, creativity, art etc.
- Help her to tolerate uncomfortable feelings, (affect regulation) to understand her perceptual distortions and manage her need to escape into repetitive behaviours and numb or dissociate, increase experiences of flow
- Increase self-compassion and internal unity, so she can befriend herself
- Help her to make sense of what happened at 14 years old, and in recent relationship; and to find a sense of purpose and hope; connect her to any spiritual resources she may have – may need to use creative therapies to help



Characteristics

- Repetitive hair pulling to the point of noticeable loss and/or functional impairment
- With tension and relief 0.6%, without 3%; F>M
- Chronic waxing and waning course
- Average age of onset around 13, often earlier
- Associated physical impairment secondary to damage to hair and skin, to ingestion
- Psychosocial impairment 56% pull for more than a third of the day, 70% report psychiatric co-morbidity
- Social, academic, occupational and financial difficulties





Model

- Focussed pulling preceded by a private internal event such as an urge, bodily sensation, emotion or cognition. Focussed pulling occurs as a specific behaviour to reduce or escape from these experiences and/or acquire short term pleasure
- Automatic pulling seems to occur outside of one's awareness often during sedentary activities and without identifiable triggers
- Interventions can reduce private experiences, also work to accept experiential avoidance





Treatment

- I like the AEBT-T (Acceptance enhanced behaviour therapy for trichotillomania) manualised treatment described by Woods and Twohig
- Combination of Habit Reversal Training (HRT) and Stimulus Control (SC) –
 especially for automatic pulling and Acceptance and Commitment
 Therapy (ACT) more for focussed pulling

Teaches

- 1. Awareness of hair pulling and causes
- 2. Use of self management strategies to prevent/stop hair pulling
- 3. Stop fighting against urge to pull via defusion and acceptance
- 4. Improve quality of life via values work





Co-morbidities

Majority of trichotillomania patients have psychiatric co-morbidities

- Major Depression
- Obsessive-Compulsive Disorder and related disorders
- Other anxiety disorders Social Anxiety, Generalized Anxiety Disorder,
 Panic Disorder
- Substance use
- Eating disorders

PLUS

Widespread issues with shame, guilt, disgust, low self-esteem and effe on functioning. Requires careful and detailed history taking of specifics of hair pulling and co-morbidities.



Medication treatment

The most common intervention DESPITE very limited evidence supporting its use in uncomplicated hair pulling


- Small number of RCT's using drugs and results generally poor
- Anecdotally, combination of meds and behaviour therapy can be effective
- RCT's comparing behaviour therapy and drugs show behaviour therapy better
- Meds certainly useful in those with co-morbidities especially depression and anxiety
- Evidence for SSRI antidepressants and Clomipramine
- Other drugs including antipsychotics, Benzodiazepines,
 Naltrexone and others unclear benefits



Dr Imogen Rehm

Psychologist's perspective





(Falkenstein et al., 2015; Mansueto et al., 1997, 1999)



Psychological Interventions

Habit-Reversal Therapy enhanced with cognitive therapies:

- Acceptance Commitment Therapy
- Dialectical Behaviour Therapy

Core components of enhanced therapies:

1	D	1 /.1	
1.	PSVC	noed	ucation

- 2. Self-monitoring
- 3. Awareness training
- 4. Competing response training
- Stimulus control
- 6. Mindfulness, relaxation and emotion regulation strategies
- 7. Values and other motivational strategies

Date	Time spent pulling	Sensory	Cognitive	Affect	Motor	Place
Monday	40 minutes	Tingling in finger tips, tearful, felt my heart beating	"I can't cope! Pulling will help me relax, I'll just pull a couple"	Sad, nervous, on edge	Restless, foot tapping, hunched over, rubbing neck with fingers	10pm, alone, in bed, scrolling through facebook





Habit Reversal Therapy

- Use of strategies should be collaborative
- Awareness training
 - Simulated hair-pulling
 - Can build 'urge surfing' techniques into this
 - Role of social supports, loved ones?
- Competing responses
 - Clench fists, fold arms, grip steering wheel etc. for 1-minute
 - Fidget toys? No one-size-fits-all
- Stimulus control 3 principles:
 - Should make pulling more effortful
 - Should be simple & relatively easy
 - Not to prevent or entirely avoid uncomfortable experiences (urges, emotions)
 - Control the stimuli, not the behaviour!





Monitoring Progress

- Massachusetts General Hospital Hair Pulling Scale (Keuthen et al., 1995)
 - Control, severity of urges, distress over past seven days
- Milwaukee Inventory for Styles of Trichotillomania (Flessner et al., 2008)
 - Automatic habitual hair pulling
 - Focussed pulling for emotion/other forms of regulation
- DASS-21, K10, Brief Fear of Negative Evaluation Scale, Acceptance & Action Questionnaire, others as relevant to formulation
- Keep up self-monitoring as much as possible
 - role for technology?
- Problem-solve around barriers to homework, treatment strategies,





Further considerations

- Don't underestimate importance of psychoeducation, normalising and empathy for shame reduction, therapeutic alliance and engagement
 - Not "the only one"
 - Not "random" or "weird" serves a purpose, positives and negatives
- Treatment goals need to be realistic
 - Ingrained behaviours spanning 10+ years won't be "cured" in 10 sessions
 - Goal is not necessarily to be "pull free"
 - Sense of self, what it means to live a fulfilling life with or without trichotillomania
- Leisure, self-care and behavioural activation

Dr Imogen Rehm

Q&A





Dr Johanna LynchGeneral Practitioner



Dr Scott Blair-WestPsychiatrist



Dr Imogen RehmPsychology Registrar



Facilitator: Dr Mary Emeleus
Psychiatry Registrar

Audience tip:

Click the 'Open Chat' tab at the bottom right of your screen and chat with other participants. NB: chat will open in a new browser window.

Thank you!

- Please complete the survey feedback before you go. Click the survey feedback tab at the top of your screen to open the survey.
- Your Certificate of Attendance will be emailed to you within four weeks.
- All participants will be emailed a link to the online resources associated with this webinar within two weeks.



Thank you for your contribution and participation

Good evening

Audience tip:

Your feedback is important please click the 'Feedback Survey' tab to open the survey